

2020 CATALOG



VERCELLI

PERFORMANCE TIRES
OWN THE ROAD



A premium, all-season grand touring power design featuring a quiet ride, the STRADA I is developed with VDMS – Variable Depth Micro-Positioned Siping – technology that provides superior handling and enhanced traction on all road surfaces. The STRADA I shoulders are designed with an alternating closed buttress area for an exceptionally quiet ride while ensuring long, trouble-free mileage. Our No Questions Asked, 25/365 Free Replacement Limited Protection Policy includes FREE one-year replacement from date of purchase plus a **60,000-mile** usable tread life expectancy.

STRADA I



Series	Size	LI/SR	Tread Depth	Overall Diameter	Section Width	Max Load @ PSI	UTQG	Stock #
70	235/70R17	109T	10.50	30.00	9.45	2271@50	500AB	VC639
70	265/70R18	116T	10.50	32.64	10.71	2756@44	500AB	VC659
65	195/65R15	91H	10.08	25.00	7.91	1356@44	500AA	VC605
65	205/65R15	94H	10.08	25.47	8.23	1477@44	500AA	VC615
65	225/65R16	100T	10.00	27.48	9.00	1764@44	500AB	VC648
65	215/65R17	99V	10.00	28.03	8.70	1709@44	500AA	VC651
65	225/65R17	106V	10.00	28.50	8.98	2094@50	500AA	VC640
65	235/65R17	104H	10.50	29.06	9.45	1984@44	500AA	VC638
65	235/65R18	106T	10.00	30.04	9.45	2094@44	500AB	VC656
65	255/65R18	111T	10.33	31.06	10.24	2403@44	500AA	VC674
65	265/65R18	114T	10.00	31.54	10.71	2601@44	500AB	VC658
65	275/65R18	116T	10.50	32.09	10.98	2756@44	500AB	VC657
60	195/60R15	88H	10.08	24.21	7.91	1235@44	500AA	VC600
60	205/60R15	91H	10.08	24.69	8.23	1356@44	500AA	VC603
60	205/60R16	92H	10.08	25.67	8.19	1389@44	500AA	VC620
60	215/60R16	95V	10.08	26.14	8.70	1521@44	500AA	VC630
60	225/60R16	98H	10.08	26.61	8.98	1653@44	500AA	VC625
60	225/60R17	99H	10.33	27.64	8.98	1709@44	500AA	VC645
60	235/60R17	106H	10.33	28.11	9.45	2094@50	500AA	VC644
60	235/60R18	107H	10.33	29.09	9.45	2149@50	500AA	VC671
60	245/60R18	105H	10.33	29.57	9.76	2039@44	500AA	VC672
60	265/60R18	110H	10.33	30.51	10.71	2336@44	500AA	VC677
60	255/60R19	109H	10.00	31.06	10.24	2271@44	500AA	VC660
60	275/60R20	115T	10.50	32.99	10.98	2679@44	500AB	VC686
55	195/55R15	85V	10.08	23.43	7.91	1135@44	500AA	VC610
55	205/55R16	94V	10.00	24.88	8.43	1477@50	500AA	VC602
55	215/55R16	97V	10.00	25.28	8.90	1609@50	500AA	VC622
55	215/55R17	98V	10.00	26.30	8.90	1653@50	500AA	VC650
55	225/55R17	101V	10.08	26.77	9.17	1819@50	500AA	VC646
55	235/55R17	99V	10.50	27.17	9.65	1709@44	500AA	VC637





A premium, all-season grand touring power design featuring a quiet ride, the STRADA I is developed with VDMS -- Variable Depth Micro-Positioned Siping -- technology that provides superior handling and enhanced traction on all road surfaces. The STRADA I shoulders are designed with an alternating closed buttress area for an exceptionally quiet ride while ensuring long, trouble-free mileage. Our No Questions Asked, 25/365 Free Replacement Limited Protection Policy includes FREE one-year replacement from date of purchase plus a **60,000-mile** usable tread life expectancy.

STRADA I

cont.



Series	Size	LI/SR	Tread Depth	Overall Diameter	Section Width	Max Load @ PSI	UTQG	Stock #
55	225/55R18	102V	10.00	27.76	9.17	1874@50	500AA	VC661
55	235/55R18	104V	10.00	28.15	9.65	1984@50	500AA	VC669
55	255/55R18	109V	10.33	29.02	10.43	2270@50	500AA	VC673
55	225/55R19	99V	10.50	27.78	9.17	1709@44	500AA	VC692
55	235/55R19	105V	10.50	29.17	9.65	2039@50	500AA	VC691
55	245/55R19	103H	10.50	29.65	9.96	1929@44	500AA	VC690
55	275/55R20	113H	10.50	31.89	11.18	2535@44	500AA	VC675
50	215/50R17	95V	10.08	25.51	8.90	1521@50	500AA	VC635
50	225/50R17	98V	10.00	25.90	9.20	1653@50	500AA	VC652
50	235/50R17	100V	10.00	26.30	9.65	1764@50	500AA	VC641
50	225/50R18	95V	10.00	26.89	9.20	1520@44	500AA	VC654
50	235/50R18	101H	9.45	27.28	9.65	1819@50	500AA	VC667
50	235/50R18	101W	9.45	27.28	9.65	1819@50	500AA	VC668
50	255/50R19	107H	10.50	29.09	10.43	2149@50	500AA	VC695
50	245/50R20	102V	10.00	29.69	10.00	1874@44	500AA	VC662
50	255/50R20	109V	10.50	30.08	10.43	2271@50	500AA	VC663
50	265/50R20	107V	10.50	30.47	10.91	2149@44	500AA	VC664
45	225/45R18	95V	10.00	25.94	8.86	1521@50	500AA	VC643
45	235/45R18	98V	10.00	26.34	9.29	1653@50	500AA	VC665
45	245/45R18	100V	10.00	26.65	9.57	1764@50	500AA	VC670





A performance-driven premium tire with all-season capabilities, the STRADA II's unique engineering features a twin-type center rib design for high-speed stability and sure-footed braking. The tread design provides both a quiet ride and ultra-confident handling. Backed by our No Questions Asked, 25/365 Free Replacement Limited Protection Policy and a **45,000-mile** usable tread life expectancy.

STRADA II



Series	Size	LI/SR	Tread Depth	Overall Diameter	Section Width	Max Load @ PSI	UTQG	Stock #
55	205/55ZR16	94W	10.00	24.88	8.43	1477@49	500AA	VC265
55	215/55ZR16	97W	10.00	25.28	8.90	1609@49	500AA	VC266
55	215/55ZR17	98W	10.00	26.30	8.90	1653@49	500AA	VC240
55	225/55ZR17	101W	10.00	26.77	9.17	1819@49	500AA	VC241
50	205/50ZR17	93W	10.00	25.12	8.43	1433@49	500AA	VC282
50	215/50ZR17	95W	10.00	25.51	8.90	1521@49	500AA	VC235
50	225/50ZR17	98W	10.00	25.91	9.17	1653@49	500AA	VC285
50	235/50ZR17	100W	10.00	26.30	9.65	1764@49	500AA	VC286
45	215/45ZR17	91W	10.00	24.65	8.39	1356@49	500AA	VC275
45	225/45ZR17	94W	10.00	24.96	8.86	1477@49	500AA	VC277
45	235/45ZR17	97W	10.00	25.35	9.29	1609@49	500AA	VC279
45	245/45ZR17	99W	10.00	25.67	9.57	1709@49	500AA	VC280
45	225/45ZR18	95W	10.00	25.94	8.86	1521@49	500AA	VC296
45	235/45ZR18	98W	10.00	26.34	9.29	1653@49	500AA	VC291
45	245/45ZR18	100W	10.00	26.65	9.57	1764@49	500AA	VC298
45	245/45ZR20	103W	10.00	28.66	9.57	1929@49	500AA	VC320
40	205/40ZR17	84W	10.00	23.46	8.35	1102@49	500AA	VC270
40	245/40ZR17	95W	10.00	24.72	9.76	1521@49	500AA	VC281
40	225/40ZR18	92W	10.00	25.08	9.06	1389@49	500AA	VC295
40	245/40ZR18	97W	10.00	25.71	9.76	1609@49	500AA	VC297
40	255/40ZR18	99W	10.00	26.02	10.24	1709@49	500AA	VC299
40	245/40ZR20	99W	10.00	27.72	9.76	1709@49	500AA	VC340
40	275/40ZR20	106W	10.00	28.66	10.94	2094@49	500AA	VC318
35	215/35ZR18	84W	10.00	23.90	8.58	1102@49	500AA	VC290
35	255/35ZR18	94W	10.00	25.00	10.24	1477@49	500AA	VC255
35	265/35ZR18	97W	10.00	25.31	10.67	1609@49	500AA	VC267
35	275/35ZR18	99W	10.00	25.55	10.94	1709@49	500AA	VC268
35	225/35ZR20	90W	10.00	26.22	9.06	1323@49	500AA	VC312
35	245/35ZR20	95W	10.00	26.77	9.76	1521@49	500AA	VC310
35	255/35ZR20	97W	10.00	27.01	10.24	1609@49	500AA	VC316



A performance-driven premium tire with all-season capabilities, the STRADA II's unique engineering features a twin-type center rib design for high-speed stability and sure-footed braking. The tread design provides both a quiet ride and ultra-confident handling. Backed by our No Questions Asked, 25/365 Free Replacement Limited Protection Policy and a **45,000-mile** usable tread life expectancy.

STRADA II

cont.

25 365
LIMITED PROTECTION POLICY
FREE REPLACEMENT | NO QUESTIONS ASKED
First 25% of tread life or 1 year from date of purchase, whichever comes first.

Series	Size	LI/SR	Tread Depth	Overall Diameter	Section Width	Max Load @ PSI	UTQG	Stock #
35	275/35ZR20	102W	10.00	27.56	10.94	1874@49	500AA	VC330
30	225/30ZR20	85W	10.00	25.35	9.06	1135@49	500AA	VC305
30	235/30ZR22	90W	10.00	27.60	9.49	1323@49	500AA	VC322
30	245/30ZR22	92W	10.00	27.83	9.76	1389@49	500AA	VC325
30	265/30ZR22	97W	10.00	28.31	10.67	1609@49	500AA	VC350





A premium ultra-modern and performance-oriented design, the STRADA IV is built for today's Sport Utility Vehicles and Pickup Trucks. The STRADA IV has large shoulder elements that support the necessary extra load and steering control requirement for modern trucks and SUVs. The plus-sizing options are unique to Vercelli Tires. Backed by our No Questions Asked, 25/365 Free Replacement Limited Protection Policy and our **45,000-mile** usable tread life expectancy.

STRADA IV



Series	Size	LI/SR	Tread Depth	Overall Diameter	Section Width	Max Load @ PSI	UTQG	Stock #
55	275/55R20	117V	10.46	31.89	11.18	2833@49	500AA	VC411
50	285/50R20	116V	10.46	31.26	11.69	2756@49	500AA	VC412
45	275/45R20	110V	10.46	29.76	10.75	2337@49	500AA	VC410
45	275/45R22	112V	10.46	31.77	10.75	2469@49	500AA	VC430
45	285/45R22	114V	10.46	32.09	11.22	2601@49	500AA	VC431
45	305/45R22	118V	10.46	32.80	11.93	2910@49	500AA	VC434
40	275/40ZR20	106V	10.46	28.66	10.94	2094@49	500AA	VC405
40	265/40R22	106W	10.08	30.35	10.67	2094@49	500AA	VC420
40	305/40R22	114V	10.46	31.61	12.32	2601@49	500AA	VC424
35	265/35R22	102V	10.08	29.33	10.67	1874@49	500AA	VC415
35	295/35R24	110V	10.46	32.13	11.85	2337@49	500AA	VC441
35	305/35R24	112V	10.46	32.44	12.32	2469@49	500AA	VC440
30	295/30ZR22	103W	10.46	29.02	11.85	1929@49	500AA	VC414
30	255/30ZR24	97W	10.46	30.08	10.24	1609@49	500AA	VC439
25	275/25ZR24	96W	10.46	29.45	11.14	1565@49	500AA	VC438





The CLASSIC 787 is a traditional all-season white sidewall design featuring slotted shoulders and a wear-resistant tread compound for trouble-free mileage and a quiet ride. The wide, longitudinal grooves provide good handling on both wet and dry surfaces while the flexible body design improves ride comfort. Backed by our No Questions Asked, 25/365 Free Replacement Limited Protection Policy.

CLASSIC 787

25/365
LIMITED PROTECTION POLICY
FREE REPLACEMENT | NO QUESTIONS ASKED
First 25% of tread life or 1 year from date of purchase, whichever comes first.

Series	Size	LI/SR	Tread Depth	Overall Diameter	Section Width	Max Load @ PSI	UTQG	Stock #
75	P195/75R14	92S	10.50	25.51	7.72	1400@44	440AB	VC001
75	P205/75R14	95S	10.50	26.14	7.99	1532@44	440AB	VC003
75	P215/75R14	98S	10.50	26.69	8.50	1664@44	440AB	VC005
75	P205/75R15	97S	10.50	27.13	7.99	1598@44	440AB	VC030
75	P215/75R15	100S	10.50	27.68	8.50	1742@44	440AB	VC039
75	P225/75R15	102S	10.50	28.31	8.78	1874@44	440AB	VC048
75	P235/75R15	105S	10.50	28.86	9.25	2028@44	440AB	VC058
70	P205/70R14	93S	10.50	25.35	8.23	1433@44	440AB	VC009
70	P215/70R14	96S	10.50	25.91	8.70	1554@44	440AB	VC008
70	P205/70R15	95S	10.50	26.34	8.23	1499@44	440AB	VC012
70	P215/70R15	97S	10.50	26.89	8.70	1620@44	440AB	VC015
70	P225/70R15	100S	10.50	27.44	8.98	1753@44	440AB	VC020



vercellitire.com





All Vercelli tires are backed by our No Questions Asked, 25/365 Free Replacement Limited Protection Policy and unbeatable mileage policy (where applicable). The policy fully covers (100% credit) all Vercelli brand passenger tires should one become unserviceable due to defective workmanship, materials, or road hazard during the first 25% of usable treadwear or one year from date of purchase, whichever occurs first. For full policy details visit - www.vercellitire.com

VERCELLI
P E R F O R M A N C E T I R E S

American Omni Trading Company

1221 Park West Green Dr. | Katy, TX 77493

Corporate Phone | 281-600-TIRE

american-omni.com